

Case 385 : Narrative

Case Vehicle (A): 2000 Chevrolet	Vehicle (B): 1996 Dodge
Type: Tahoe, 4 x 4, 4-door SUV	Type: Stratus, 4-door sedan
Driver: 69-year-old male	Driver: 17-year-old male
CDC: 01-FDEW-2	CDC: 10-LYAW-3

SITUATION

[1](#) It was dark and cloudy, and the intersection of the two-lane asphalt roads was dry and free of defects. [2](#) Case vehicle (A) was traveling west at speed of about 55 mph (89 kph) and was approaching the intersection in the westbound lane of the east-west road. [3](#) Vehicle (B) was traveling south at an unknown speed and was approaching the intersection in the southbound lane of the north-south road. Unknown vehicle (X) was stopped at the intersection stop sign in the southbound lane of the north-south road while the driver was waiting for case vehicle (A) to go through the intersection. [4](#) The driver of vehicle (B) decided to go around vehicle (X) to the left and vehicle (B) entered the intersection in the northbound lane just before case vehicle (A) entered the intersection. [5](#) The driver of case vehicle (A) steered to the left but was unable to prevent the front of case vehicle (A) from striking the left side of vehicle (B) in an L-type impact. Case vehicle (A) rotated counterclockwise 180o and came to rest in the middle of the road facing east. [6](#) Vehicle (B) was pushed to the right as it continued forward and came to rest facing south on the grass at the southwest corner of the intersection. Case vehicle (A) and vehicle (B) were towed due to damage.

The police accident report indicates C-level injuries for the driver, right-front passenger, and left-rear passenger of case vehicle (A), who were transported to a local hospital by ambulance, where they were treated and released. The police accident report indicates that the right-rear passenger of case vehicle (A) was not injured. The police accident report indicates B-level injuries for the driver of vehicle (B), who was transported to a level-one trauma center and hospitalized for two days.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

[7](#) [8](#) Damage to the front of case vehicle (A) was moderate. [9](#) Direct damage extended across the entire frontal plane. [10](#) The maximum crush was 46 cm and occurred at the left-front bumper corner. The right-front bumper corner was shifted 29-cm to the left, and the left-front bumper corner was shifted 9-cm to the left.

[11](#) Damage to the left side of vehicle (B) was severe. [12](#) Direct damage began just rearward of the left-front bumper corner and extended 223-cm to the rear, into the forward portion of the left-rear door. [13](#) The maximum crush was 50 cm and occurred near the middle of the driver door. [14](#) The force of the impact embedded the specialty plate of case vehicle (A) into the lower section of the left A-pillar of vehicle (B). [15](#) The left wheelbase was reduced 15 cm, [16](#) but there was no significant change into the right wheelbase.

Using the WinSMASH crash-reconstruction program and crush profiles at the level of the bumper for [17](#)

[18](#) [19](#) [20](#) case vehicle (A) and [21](#) [22](#) [23](#) [24](#) above the door sill for vehicle (B), the following impact severities were estimated:

		Estimated Velocity Change - kph (mph)		
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	delta V	27 (17)	-25 (-16)	-9 (-6)
Vehicle (B)	delta V	49 (30)	-17 (-10)	46 (29)

Case vehicle (A) was equipped with a downloadable Event Data Recorder (EDR) that recorded a deployment event. The EDR data indicate that the maximum-recorded pre-crash travel speed was 58 mph at five seconds before the deployment event, that the driver seatbelt was buckled, and that the dash-mounted airbag was not suppressed. The brakes were applied and the throttle was at 73% at one-second prior to the deployment event. The maximum-recorded longitudinal velocity change is -22.49 mph and it occurred 110 milliseconds into the event, at which time the EDR apparently lost power.

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

[25](#) [26](#) In the front, the bumper, the radiator, the upper radiator support, and the hood were crushed to the rear, and the front third of the hood was bent down. [27](#) The right-front bumper corner was deflected 29-cm to the left and [28](#) the left-front bumper corner was deflected 9-cm to the left. [29](#) The hood latch had been removed and [30](#) the hood latch striker plate was twisted, probably from the hood being pried open by rescue personnel. [31](#) The right hood hinge was deflected to the left, [32](#) the forward portion of the left hood hinge was bent to the left, and the rear edge of the hood was elevated but it did not contact the windshield, [33](#) which was cracked in the center due to impact forces.

[34](#) [35](#) On the left side, the fender was crushed to the rear and to the left, the front tire was flat, and the rotation of the tire was restricted by the displaced fender. Both left-side doors were closed and operational and all left-side glazing was intact. There was no other left-side damage, but the left wheelbase was reduced by 13 cm.

[36](#) [37](#) In the rear, the left-rear bumper corner was displaced forward, and the right-rear bumper corner was displaced rearward, probably from a previous collision. [38](#) [39](#) Both rear doors remained closed and operational and the rear glazing was intact. There was no other damage to the rear of the vehicle.

[40](#) [41](#) On the right side, the forward portion of the fender was deflected to the left, both right-side doors remained closed and operational, and all right-side glazing was intact. There was no other right-side damage and there was no change in the right wheelbase.

Interior

This vehicle was equipped with steering-wheel and dash-mounted frontal-impact airbags, and [42](#) [43](#) [44](#) [45](#) both deployed during the frontal impact. [46](#) [47](#) This vehicle was also equipped with front-row seatback-mounted side-impact airbags, which did not deploy during the frontal impact.

[48](#) [49](#) [50](#) [51](#) In the driver area there was no damage to the steering-wheel airbag or module covers, [52](#) [53](#) [54](#) there was no damage to the steering-wheel rim or spokes, [46](#) and there was no rotation of the steering

column. [55](#) The shoulder-belt guide from the seat-integrated belt was detached from the seat and had slid down the belt webbing, and the upper-right portion of the seatback was deflected slightly forward. [56 57 58 59](#) There was no other damage in the driver area.

[59](#) In the center-front area, the cup-holder cover panel on the center instrument panel was displaced and the right hinge of the cup holder was separated and stained with an unknown substance. [60](#) There was no other damage in the center-front area.

[61 62](#) In the right-front seating area, the dash-mounted airbag was deployed but there was no damage to the airbag or module cover. [63](#) There was a scuffmark on the glove-box door but [64 65](#) there was no other damage in the right-front occupant area.

[66](#) In the rear seating area, the upper-right portion of the driver seatback was deflected slightly forward and [67](#) there were two scuffmarks on the headliner above and in front of the second-row bench seat. [68](#) There was no other damage in the left-rear seating area.

[69 70 71 72 73 74 75](#) There was no other interior damage and there were no intrusions.

OCCUPANT KINEMATICS AND INJURIES

[76](#) The 191-cm, 95-kg (6-ft 3-in, 210-lb) 69-year-old male driver was using the seat-integrated three-point belt and [77](#) the steering-wheel airbag deployed, but the driver side-impact airbag did not deploy. [78](#) The shoulder-belt guide at the top of the seatback was displaced and had slid down the belt webbing and [79](#) there were loading marks on the plastic of the sliding latch plate, indicating belt use. During the frontal impact, the driver moved forward and to the right relative to the vehicle interior, into the three-point belt and airbag. He sustained cervical strain, probably due to non-contact impact forces.

[80](#) The 178-cm, 73-kg (5-ft 10-in, 160-lb) 67-year-old female right-front passenger was using the [81](#) seat-integrated three-point belt and [65](#) the dash-mounted airbag deployed, but the passenger side-impact airbag did not deploy. [82](#) There were loading marks on the left portion of the plastic shoulder-belt guide, indicating belt use, [83 84](#) but there were no loading marks on the plastic of the sliding latch plate. During the frontal impact, the right-front passenger moved forward and to the right relative to the vehicle interior, into the three-point belt and airbag. She sustained cervical strain, probably due to non-contact impact forces. She sustained a contusion to the abdomen, probably from the lap belt. She sustained contusions to both knees, probably from contact with the glove box door/knee bolster, and she sustained a sprained right ankle and contusions to the toes of the right foot, probably from foot contact with the toepan.

[85](#) The 152-cm, 59-kg (5-ft, 130-lb) 64-year-old female left-rear passenger admitted to *not* using the three-point belt. During the frontal impact, she moved forward and to the right relative to the vehicle interior. She sustained a 5-cm intraoral laceration below the lower lip, a dislocation of the #12 tooth, an abrasion to the chin, and cervical strain, probably from facial contact with the driver seatback, [66](#) as evidenced by the right upper portion of the seatback being deflected forward.

[86](#) The 152-cm, 50-kg (5-ft, 110-lb) 15-year-old male right-rear passenger was using the three-point belt, as [87 88](#) evidence by loading marks on the sliding latch plate. He did not sustain any injuries.

The following tables and attached drawings [89 90 91 92](#) summarize the injuries for the four occupants of case vehicle (A).

Occupant: Driver	Age: 69 years	Gender: Male		
Restraints: 3-point belt; steering-wheel airbag	Stature: 191 cm (6 ft, 3 in)	Mass: 95 kg (210 lb)		
Injury Description	A.I.S.	Injury Source		
—	—	Definite	Probable	Possible
Cervical strain	1	—	Impact forces (non contact)	—
Maximum A.I.S. Level	1	—	—	—
Injury Severity Score	1	—	—	—

Occupant: Right front	Age: 67 years	Gender: Female		
Restraints: 3-point belt; dash-mounted airbag	Stature: 178 cm (5 ft, 10 in)	Mass: 73 kg (160 lb)		
Injury Description	A.I.S.	Injury Source		
—	—	Definite	Probable	Possible
Cervical strain	1	—	Impact forces (non contact)	—
Contusion, abdomen	1	—	Lap belt	—
Contusions, both knees	1	—	Glove box door/knee bolster	—
Sprain, right ankle	1	—	Toe pan	—
Contusions, toes of right foot	1	—	Toe pan	—
Maximum A.I.S. Level	1	—	—	—
Injury Severity Score	3	—	—	—

Occupant: Left rear	Age: 64 years	Gender: Female		
Restraints: None	Stature: 152 cm (5 ft)	Mass: 59 kg (130 lb)		
Injury Description	A.I.S.	Injury Source		
—	—	Definite	Probable	Possible
5-cm intraoral laceration below lower lip	1	—	Driver seatback	—
Dislocation, tooth #12	1	—	Driver seatback	—
Abrasion, chin	1	—	Driver seatback	—
Cervical strain	1	—	Driver seatback	—
Maximum A.I.S. Level	1	—	—	—
Injury Severity Score	3	—	—	—

Occupant: Right rear	Age: 15 years	Gender: Male		
Restraints: 3-point belt	Stature: 152 cm (5 ft)	Mass: 50 kg (110 lb)		
Injury Description	A.I.S.	Injury Source		
—	—	Definite	Probable	Possible
No Injury	—	—	—	—
Maximum A.I.S. Level	0	—	—	—
Injury Severity Score	0	—	—	—

CASE NO.: 385-03

CASE VEHICLE: 2000 Chevrolet

TYPE: Tahoe, 4 x 4, 4-door SUV

OCCUPANT: Driver: 69-year-old male

STATURE: 191 cm (6 ft, 3 in) MASS: 95 kg (210 lb)

RESTRAINTS: 3-point belt; steering-wheel airbag

SEVERITY: MAIS - 1 : ISS - 1



Cervical strain
(1)



CASE NO.: 385-03

CASE VEHICLE: 2000 Chevrolet


TYPE: Tahoe, 4 x 4, 4-door SUV

OCCUPANT: Right front: 67-year-old female

STATURE: 178 cm (5 ft, 10 in) MASS: 73 kg (160 lb)

RESTRAINTS: 3-point belt; dash-mounted airbag

SEVERITY: MAIS - 1 : ISS - 3



CASE NO.: UM-4175-03

CASE VEHICLE: 2000 Chevrolet


TYPE: Tahoe, 4 x 4, 4-door SUV

OCCUPANT: Left rear: 64-year-old female

STATURE: 152 cm (5 ft) MASS: 59 kg (130 lb)

RESTRAINTS: None

SEVERITY: MAIS - 1 : ISS - 3



CASE NO.: 385-03

CASE VEHICLE: 2000 Chevrolet

TYPE: Tahoe, 4 x 4, 4-door SUV

OCCUPANT: Right rear: 15-year-old male

STATURE: 152 cm (5 ft) MASS: 50 kg (110 lb)

RESTRAINTS: 3-point belt

SEVERITY: MAIS - 0 : ISS - 0



No injury



Case No.: **385-03**

Case Veh. (A): **2000 Chevrolet**

Type: **Tahoe, 4 x 4, 4-door SUV**

Driver: **69-year-old male**


Veh. (B): **1996 Dodge Stratus, 4-door sedan**

Light Conditions: **Dark - unlighted**

Weather: **Cloudy**

Road Surface: **Dry**

Road Construction: **Asphalt**



Vehicle Report

General Conditions

Variable Number and Name	Code Value	Code Description	Other Options
V206 — Urban/Rural Area	2	Rural	more
V207 — Limited Access Highway	0	No	more
V208 — Road Total Lanes	2	2 lanes	more
V209 — Intersecting Road Total Lanes	2	2 lanes	more
V210 — Road Surface Type	1	Asphalt	more
V211 — Road Defects	0	No	more
V212 — Construction Zone	0	No	more
V213 — Road Alignment Vertical Plane	1	Level	more
V214 — Road Alignment Horizontal Plane	1	Straight	more
V215 — Surface Covering	10	Dry	more
V216 — Visibility Limitation	0	None	more
V217 — Visibility Obstruction	0	None	more
V218 — Speed Limit	6	86-90 km/h .. 55 mph	more
V219 — Precipitation Type	0	None	more
V220 — Precipitation Rate	8	Not applicable	more
V221 — Temperature	9	Unknown	more
V222 — Crosswind	9	Unknown	more
V223 — Light Conditions	5	Dark, unlighted	more
V224 — Mechanical Malfunction Mention	0	No	more
V225 — Case Vehicle and Object	0	No	more
V226 — Case Vehicle Rollover	0	No	more
V227 — Case Vehicle Ran Off Roadway	0	No	more
V228 — Moving Case Vehicle/Contacted Moving Vehicle	1	Yes	more
V229 — Case Vehicle/Contacted Stopped Vehicle	0	No	more
V230 — Stopped Case Vehicle/Contactd Vehicle	0	No	more
V231 — Total Vehicles Hit By Case Vehicle	1	1 vehicle	more
V232 — Any Fire in Crash	0	No	more

V233 — Max Police Severity-PAR	2	B - Non-Incapacitating Injury	more
V234 — Driver Alcohol Involvement	0	Had not been drinking	more
V235 — Driver Alcohol BAC	80	Not tested	more
V236 — Driver Impairment Mention	0	No	more
V237 — Driven/Towed From Scene	2	Towed Due to Damage	more

Other Vehicle

Variable Number and Name	Code Value	Code Description	Other Options
V301 — Other Vehicle VIN	1B3EJ46X5TN2	—	—
V302 — Other Vehicle Manufacturer/Body Code	13228	—	—
V303 — Other Vehicle Manufacturer	132	Dodge	more
V304 — Other Vehicle Body Code	28	Intermediate 105-109.9 in. wb.	more
V305 — Other Vehicle Make/Model	0766	Stratus	more
V306 — Other Vehicle Model Year	1996	—	—
V307 — Other Vehicle Mass	001319 kg	—	—
V308 — Other Vehicle Number	1	Vehicle #1	more
V309 — Other Vehicle Number of Occupants	01	—	—
V310 — Other Vehicle Traveling Speed	999	Unknown	more
V311 — Highest Police Injury Severity	2	B - Non-Incapacitating Injury	more
V312 — Other Vehicle Type	28	Intermediate 105-109.9 in. wb.	more
V313 — Other Vehicle Wheelbase (cm)	274 cm	—	—
V314 — Average Track Width	153 cm	—	—
V315 — Overall Length	473 cm	—	—
V316 — Overall Width (OAW)	182 cm	—	—
V317 — Front Overhang (FOH)	094 cm	—	—
V318 — Rear Overhang (ROH)	105 cm	—	—
V319 — Undeformed End Width (UEW)	150 cm	—	—
V320 — Engine Displacement	2.4 l	—	—
V321 — Engine: Number of Cylinders	04	—	—
V322 — Direct Damage Length (DDL)	999	Unknown	more
V323 — Front-End Overlap % (FEO)	99	Missing or Not applicable	more
V324 — Vehicle Overlap % (VOL)	99	Missing or Not applicable	more

Case Vehicle General

Variable Number and Name	Code Value	Code Description	Other Options
V401 — VIN	1GNEK13T8YJ1	—	—
V402 — Manufacturer/Body Code	11315	—	—
V403 — Vehicle Manufacturer	113	Chevrolet	more
V404 — Vehicle Body Code	15	—	—
V405 — Make/Model Code	2950	—	—
V406 — Model Year	2000	—	—
V407 — Vehicle Mass	002291 kg	—	—
V408 — Odometer Reading	888888	—	—
V409 — Number of Occupants	04	—	—
V410 — Traveling Speed	089 kph	—	—
V411 — Body Type	22	Large utility (e.g. Suburban)	more
V412 — Stolen Vehicle	8	Not currently collected	more
V413 — Body Structure	1	Body and frame	more
V414 — Transmission Type	1	Automatic	more
V415 — Transmission Lever Location	3	Column	more
V416 — Steering	1	Power	more
V417 — Brakes	1	Power	more
V418 — Brake Type	2	Disc - front wheels	more
V419 — Brake Anti-lock Device	2	Four-wheel	more
V420 — Air Conditioning in Vehicle	8	Not currently collected	more
V421 — Drive Type	3	Four wheel	more
V422 — Dual Rear Wheels	0	No	more
V423 — Original Restraint System Type	3	Airbag	more
V424 — Equipped With Roll Bar	0	No	more
V425 — Roof Type	1	Solid	more
V426 — Wheelbase	298 cm	—	—
V427 — Anti-lacerative Glass	0	None	more
V428 — Average Track Width	167 cm	—	—
V429 — Overall Length	507 cm	—	—
V430 — Overall Width (OAW)	195 cm	—	—

V431 — Front Overhang	091 cm	—	—
V432 — Rear Overhang	117 cm	—	—
V433 — Undeformed End Width (UEW)	180 cm	—	—
V434 — Engine Displacement	5.3 <i>l</i>	—	—
V435 — Engine: Number of Cylinders	08	—	—
V436 — Direct Damage Length (DDL)	180 cm	—	—
V437 — Front End Overlap % (FEO)	98	98% or more	more
V438 — Vehicle Overlap % (VOL)	98	98% or more	more

**Case Vehicle
Damage
Description**

Variable Number and Name	Code Value	Code Description	Other Options
V501 — Maximum Crush - Front	046 cm	—	—
V502 — Maximum Crush - Right Side	000 cm	No crush (or less than 1 cm.)	more
V503 — Maximum Crush - Rear	000 cm	No crush (or less than 1 cm.)	more
V504 — Maximum Crush - Left Side	000 cm	No crush (or less than 1 cm.)	more
V505 — Maximum Crush - Roof	000 cm	No crush (or less than 1 cm.)	more
V506 — Maximum Crush - Other	000 cm	No crush (or less than 1 cm.)	more
V507 — Are Events In Chronological Order	1	Yes	more
V508 — Event 1 Impact Location	1	On Roadway	more
V509 — Event 1 Impact Configuration	22	LEFT of case veh - FRONT of contacted veh (type L)	more
V510 — Event 1 Object/Vehicle Contacted	28	Intermediate 105-109.9 in. wb.	more
V511 — Event 2 Impact Location	8	No 2nd event	more
V512 — Event 2 Impact Configuration	88	No 2nd event	more
V513 — Event 2 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V514 — Event 3 Impact Location	8	No 3rd event	more
V515 — Event 3 Impact Configuration	88	No 3rd event	more
V516 — Event 3 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V517 — Event 4 Impact Location	8	No 4th event	more
V518 — Event 4 Impact Configuration	88	No 4th event	more
V519 — Event 4 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V520 — Event 5 Impact Location	8	No 5th event	more
V521 — Event 5 Impact Configuration	88	No 5th event	more
V522 — Event 5 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V523 — Event 6 Impact Location	8	No 6th event	more
V524 — Event 6 Impact Configuration	88	No 6th event	more
V525 — Event 6 Object/Vehicle Contacted	00	No object/vehicle contacted	more
V526 — Event 7 Impact On Road	8	No 7th event	more
V527 — Event 7 Impact Configuration	88	No 7th event	more
V528 — Event 7 Object/Vehicle Contacted	00	No object/vehicle contacted	more

V529 — Primary CDC Case Vehicle -event Number	1	Event 1	more
V530 — Primary CDC Case Vehicle - impact speed	999	Unknown	more
V531 — Primary CDC Case Vehicle - Estimated By	1	Investigator	more
V532 — Primary CDC Case Vehicle -crush	046	—	—
V533 — Primary CDC Case Vehicle -clock #1	01	1 o'clock	more
V534 — Primary CDC Case Vehicle letter 1 #1	06	F - Front	more
V535 — Primary CDC Case Vehicle letter 2 #1	04	D - Distributed (Side or End)	more
V536 — Primary CDC Case Vehicle letter 3 #1	05	E - Everything below belt line	more
V537 — Primary CDC Case Vehicle letter 4 #1	23	W - Wide impact area	more
V538 — Primary CDC Case Vehicle Extent #1	02	Extent 2	more
V539 — Primary CDC Case Vehicle -CDC #1	01FDEW2	—	—
V541 — Primary CDC Case Vehicle letter 1 #2	00	Missing Data/Not applicable	more
V542 — Primary CDC Case Vehicle letter 2 #2	00	Missing Data/Not applicable	more
V543 — Primary CDC Case Vehicle letter 3 #2	00	Missing Data/Not applicable	more
V544 — Primary CDC Case Vehicle letter 4 #2	00	Missing Data/Not applicable	more
V545 — Primary CDC Case Vehicle Extent #2	00	Missing Data/Not applicable	more
V546 — Primary CDC Case Vehicle -CDC #2	9800000	—	—
V547 — Primary CDC Contacted Vehicle - Impact Speed	999	Unknown	more
V548 — Primary CDC Contacted Vehicle - Estimated By	1	Investigator	more
V549 — Primary CDC Contacted Vehicle -crush	050	—	—
V550 — Primary CDC Contacted Vehicle -clock #1	10	10 o'clock	more
V551 — Primary CDC Contacted Vehicle letter 1 #1	12	L - Left Side	more
V552 — Primary CDC Contacted Vehicle letter 2 #1	25	Y - Side or end (F + P or L + C)	more
V553 — Primary CDC Contacted Vehicle letter 3 #1	01	A - All or Top of vehicle to bottom of vehicle exclusive of	more
V554 — Primary CDC Contacted Vehicle letter 4 #1	23	W - Wide impact area	more
V555 — Primary CDC Contacted Vehicle Extent #1	03	Extent 3	more
V556 — Primary CDC Contacted Vehicle -CDC #1	10LYAW3	—	—
V558 — Primary CDC Contacted Vehicle letter 1 #2	00	Missing Data/Not applicable	more
V559 — Primary CDC Contacted Vehicle letter 2 #2	00	Missing Data/Not applicable	more
V560 — Primary CDC Contacted Vehicle letter 3 #2	00	Missing Data/Not applicable	more

V561 — Primary CDC Contacted Vehicle letter 4 #2	00	Missing Data/Not applicable	more
V562 — Primary CDC Contacted Vehicle Extent #2	00	Missing Data/Not applicable	more
V563 — Primary CDC Contacted Vehicle -CDC #2	9800000	—	—
V564 — Secondary CDC Case Vehicle - Event No	8	Not applicable	more
V565 — Secondary CDC Case Vehicle - Impact Speed	998	Not Applicable	more
V566 — Secondary CDC Case Vehicle - Estimated By	8	Not applicable (no vehicle/no impact)	more
V567 — Secondary CDC Case Vehicle -crush	998	Not Applicable	more
V568 — Secondary CDC Case Vehicle -clock #1	98	Not Applicable	more
V569 — Secondary CDC Case Vehicle letter 1 #1	00	Missing Data/Not applicable	more
V570 — Secondary CDC Case Vehicle letter 2 #1	00	Missing Data/Not applicable	more
V571 — Secondary CDC Case Vehicle letter 3 #1	00	Missing Data/Not applicable	more
V572 — Secondary CDC Case Vehicle letter 4 #1	00	Missing Data/Not applicable	more
V573 — Secondary CDC Case Vehicle Extent #1	00	Missing Data/Not applicable	more
V574 — Secondary CDC Case Vehicle -CDC #1	9800000	—	—
V576 — Secondary CDC Case Vehicle letter 1 #2	00	Missing Data/Not applicable	more
V577 — Secondary CDC Case Vehicle letter 2 #2	00	Missing Data/Not applicable	more
V578 — Secondary CDC Case Vehicle letter 3 #2	00	Missing Data/Not applicable	more
V579 — Secondary CDC Case Vehicle letter 4 #2	00	Missing Data/Not applicable	more
V580 — Secondary CDC Case Vehicle Extent #2	00	Missing Data/Not applicable	more
V581 — Secondary CDC Case Vehicle -CDC #2	9800000	—	—
V582 — Secondary CDC Contacted Vehicle - Impact Speed	998	Not Applicable	more
V583 — Secondary CDC Contacted Vehicle - Estimated By	8	Not applicable (no vehicle/no impact)	more
V584 — Secondary CDC Contacted Vehicle -crush	998	Not Applicable	more
V585 — Secondary CDC Contacted Vehicle -clock #1	98	Not Applicable	more
V586 — Secondary CDC Contacted Vehicle letter 1 #1	00	Missing Data/Not applicable	more
V587 — Secondary CDC Contacted Vehicle letter 2 #1	00	Missing Data/Not applicable	more
V588 — Secondary CDC Contacted Vehicle letter 3 #1	00	Missing Data/Not applicable	more
V589 — Secondary CDC Contacted Vehicle letter 4 #1	00	Missing Data/Not applicable	more
V590 — Secondary CDC Contacted Vehicle Extent #1	00	Missing Data/Not applicable	more
V591 — Secondary CDC Contacted Vehicle -CDC #1	9800000	—	—
V593 — Secondary CDC Contacted Vehicle letter 1 #2	00	Missing Data/Not applicable	more
V594 — Secondary CDC Contacted Vehicle letter 2 #2	00	Missing Data/Not applicable	more
V595 — Secondary CDC Contacted Vehicle letter 3 #2	00	Missing Data/Not applicable	more

V596 — Secondary CDC Contacted Vehicle letter 4 #2	00	Missing Data/Not applicable	more
V597 — Secondary CDC Contacted Vehicle Extent #2	00	Missing Data/Not applicable	more
V598 — Secondary CDC Contacted Vehicle -CDC #2	9800000	—	—

Crash Severity

Variable Number and Name	Code Value	Code Description	Other Options
V601 — Case Vehicle Primary Impact Number	1	—	—
V602 — Primary Impact Total Delta-V	027 kph	—	—
V603 — Primary Case Vehicle Reconstructed Longitudinal Delta-V	-025 kph	—	—
V604 — Primary Case Vehicle Reconstructed Lateral Delta-V	-009 kph	—	—
V605 — Primary Case Vehicle Reconstructed Crush Energy	0112 kJ	—	—
V606 — Primary Impact Case Vehicle -reconstruction	22	Reconstructed, moderate confidence level	more
V607 — Primary Case Vehicle Reconstruction Mode	5	Not reconstructed	more
V608 — Primary Contacted Vehicle Reconstructed Total Delta-V	049 kph	—	—
V609 — Primary Contacted Vehicle Reconstructed Longitudinal Delta-V	-017 kph	—	—
V610 — Primary Contacted Vehicle Reconstructed Lateral Delta-V	0046 kph	—	—
V611 — Primary Contacted Vehicle Reconstructed Crush Energy	0109 kJ	—	—
V612 — Case Vehicle Secondary Impact Number	8	—	—
V613 — Secondary Case Vehicle Reconstructed Total Delta-V	888	N/A	more
V614 — Secondary Case Vehicle Reconstructed Longitudinal Delta-V	8888	—	—
V615 — Secondary Case Vehicle Reconstructed Lateral Delta-V	8888	—	—
V616 — Secondary Case Vehicle Reconstructed Crush Energy	8888	—	—
V617 — Secondary Case Vehicle Reconstruction Note	88	—	—
V618 — Secondary Case Vehicle Reconstruction Mode	8	Not applicable	more
V619 — Secondary Contacted Vehicle Reconstructed Total Delta-V	888	N/A	more
V620 — Secondary Contacted Vehicle Reconstructed Longitudinal Delta-V	8888	—	—

V621 — Secondary Contacted Vehicle Reconstructed Lateral Delta-V	8888	—	—
V622 — Secondary Contacted Vehicle Reconstructed Crush Energy	8888	—	—
V623 — Case Vehicle Primary Impact Number	1	—	—
V624 — Primary Case Vehicle Reconstructed Total EBS	030 kph	—	—
V625 — Primary Case Vehicle Reconstructed Longitudinal EBS	-028 kph	—	—
V626 — Primary Case Vehicle Reconstructed Lateral EBS	-010 kph	—	—
V627 — Primary Case Vehicle Reconstructed Crush Energy	0112 kJ	—	—
V628 — Primary Case Vehicle Reconstruction Note	22	Reconstructed, moderate confidence level	more
V629 — Primary Case Vehicle Reconstruction Mode	2	CDC & detailed damage	more
V630 — Primary Contacted Vehicle Reconstruction Total EBS	044 kph	—	—
V631 — Primary Contacted Vehicle Reconstruction Longitudinal EBS	-015 kph	—	—
V632 — Primary Contacted Vehicle Reconstruction Lateral EBS	0041 kph	—	—
V633 — Primary Contacted Vehicle Reconstruction Crush Energy	0109 kJ	—	—
V634 — Case Vehicle Secondary Impact Number	8	Not applicable	more
V635 — Secondary Case Vehicle Reconstruction Total EBS	888	N/A	more
V636 — Secondary Case Vehicle Reconstruction Longitudinal EBS	8888	—	—
V637 — Secondary Case Vehicle Reconstruction Lateral EBS	8888	—	—
V638 — Secondary Case Vehicle Reconstruction Crush Energy	8888	—	—
V639 — Secondary Case Vehicle Reconstruction Note	88	—	—
V640 — Secondary Case Vehicle Reconstruction Mode	8	Not applicable	more
V641 — Secondary Contacted Vehicle Reconstruction Total EBS	888	N/A	more

V642 — Secondary Contacted Vehicle Reconstruction Longitudinal EBS	8888	—	—
V643 — Secondary Contacted Vehicle Reconstruction Lateral EBS	8888	—	—
V644 — Secondary Contacted Vehicle Reconstruction Crush Energy	8888	—	—
V645 — Case Vehicle Reconstructed Impact Number	1	—	—
V646 — Case Vehicle Impact 1 Plane	1	Bumper	more
V647 — Case Vehicle Impact 1 Direct Damage Length [DDL]	180 cm	—	—
V648 — Case Vehicle Impact 1 Max Crush	046 cm	—	—
V649 — Case Vehicle Impact 1 Field-L	158 cm	—	—
V650 — Case Vehicle Impact 1 C1	046 cm	—	—
V651 — Case Vehicle Impact 1 C2	037 cm	—	—
V652 — Case Vehicle Impact 1 C3	034 cm	—	—
V653 — Case Vehicle Impact 1 C4	035 cm	—	—
V654 — Case Vehicle Impact 1 C5	010 cm	—	—
V655 — Case Vehicle Impact 1 C6	020 cm	—	—
V656 — Case Vehicle Impact 1 +/- D	0000 cm	—	—
V657 — Case Vehicle Reconstructed Impact Number	1	—	—
V658 — Case Vehicle Impact 2 Plane	4	Above sill	more
V659 — Case Vehicle Impact 2 Direct Damage Length [DDL]	223 cm	—	—
V660 — Case Vehicle Impact 2 Max Crush	050 cm	—	—
V661 — Case Vehicle Impact 2 Field-L	287 cm	—	—
V662 — Case Vehicle Impact 2 C1	000 cm	No Crush	more
V663 — Case Vehicle Impact 2 C2	004 cm	—	—
V664 — Case Vehicle Impact 2 C3	050 cm	—	—
V665 — Case Vehicle Impact 2 C4	034 cm	—	—
V666 — Case Vehicle Impact 2 C5	029 cm	—	—
V667 — Case Vehicle Impact 2 C6	000 cm	No Crush	more
V668 — Case Vehicle Impact 2 +/- D	0080 cm	—	—
V669 — Other Vehicle Reconstructed Impact Number	2	—	—
V670 — Other Vehicle Impact 1 Plane	8	Not applicable	more
V671 — Other Vehicle Impact 1 Direct Damage Length [DDL]	998	Not applicable	more

V672 — Other Vehicle Impact 1 Max Crush	998	Not applicable	more
V673 — Other Vehicle Impact 1 Field-L	998	Not applicable	more
V674 — Other Vehicle Impact 1 C1	998	Not applicable	more
V675 — Other Vehicle Impact 1 C2	998	Not applicable	more
V676 — Other Vehicle Impact 1 C3	998	Not applicable	more
V677 — Other Vehicle Impact 1 C4	998	Not applicable	more
V678 — Other Vehicle Impact 1 C5	998	Not applicable	more
V679 — Other Vehicle Impact 1 C6	998	Not applicable	more
V680 — Other Vehicle Impact 1 +/- D	9998	—	—
V681 — Other Vehicle Reconstructed Impact Number	2	—	—
V682 — Other Vehicle Impact 2 Plane	8	Not applicable	more
V683 — Other Vehicle Impact 2 Direct Damage Length [DDL]	998	Not applicable	more
V684 — Other Vehicle Impact 2 Max Crush	998	Not applicable	more
V685 — Other Vehicle Impact 2 Field-L	998	Not applicable	more
V686 — Other Vehicle Impact 2 C1	998	Not applicable	more
V687 — Other Vehicle Impact 2 C2	998	Not applicable	more
V688 — Other Vehicle Impact 2 C3	998	Not applicable	more
V689 — Other Vehicle Impact 2 C4	998	Not applicable	more
V690 — Other Vehicle Impact 2 C5	998	Not applicable	more
V691 — Other Vehicle Impact 2 C6	998	Not applicable	more
V692 — Other Vehicle Impact 2 +/- D	9998	—	—

**Case Vehicle
Tires & Rims**

Variable Number and Name	Code Value	Code Description	Other Options
V701 — Left Front Wheel Damaged	0	No	more
V702 — Right Front Wheel Damaged	0	No	more
V703 — Right Rear Wheel Damaged	0	No	more
V704 — Left Rear Wheel Damaged	0	No	more
V705 — Left Front Tire Tread Type	4	All Weather	more
V706 — Right Front Tire Tread Type	4	All Weather	more
V707 — Right Rear Tire Tread Type	4	All Weather	more
V708 — Left Rear Tire Tread Type	4	All Weather	more
V709 — Left Front Carcass Construction	3	Radial	more
V710 — Right Front Carcass Construction	3	Radial	more
V711 — Right Rear Carcass Construction	3	Radial	more
V712 — Left Rear Carcass Construction	3	Radial	more
V717 — Left Front Tire Size	P26570R16	—	—
V718 — Right Front Tire Size	P26570R16	—	—
V719 — Right Rear Tire Size	P26570R16	—	—
V720 — Left Rear Tire Size	P26570R16	—	—

Case Vehicle Exterior

Variable Number and Name	Code Value	Code Description	Other Options
V1101 — Hood Latch Released	0	No	more
V1102 — Hood Latch Damaged	1	Yes	more
V1103 — Hood Latch Jammed	1	Yes	more
V1104 — Left Hood Hinge Damaged	1	Yes	more
V1105 — Left Hood Hinge Separated	0	No	more
V1106 — Right Hood Hinge Damaged	1	Yes	more
V1107 — Right Hood Hinge Separated	0	No	more
V1108 — Hood Remained On Vehicle	1	Yes	more
V1109 — Rear Hood Edge Elevated	1	Yes	more
V1110 — Edge Contacted Windshield	0	No	more
V1111 — Edge Penetrated Windshield	8	Not applicable	more
V1112 — Hood Latch Location	1	Front of Vehicle	more
V1113 — Eng/Transmissn Mount Separation	0	No	more
V1114 — Steerng Column Flex Coupling	9	Unknown if equipped	more
V1115 — Steerng Column Coupling Damaged	9	Unknown	more
V1116 — Steerng Column Coupling Separated	9	Unknown	more
V1117 — Eng Comp Telescopng Unit	88	Not collected	more
V1118 — Comp Orig/Telescopd Diff	888	Not collected	more
V1119 — Left Side Body Mount Separation	0	No	more
V1120 — Upper Left A-pillar Separation	0	No	more
V1121 — Lower Left A-pillar Separation	0	No	more
V1122 — Upper Left B-pillar Separation	0	No	more
V1123 — Lower Left B-pillar Separation	0	No	more
V1124 — Upper Left C-pillar Separation	0	No	more
V1125 — Lower Left C-pillar Separation	0	No	more
V1126 — Upper Left D-pillar Separation	0	No	more
V1127 — Lower Left D-pillar Separation	0	No	more
V1128 — Left Front Door Opening Cause	0	Door did not open	more
V1129 — Left Rear Door Opening Cause	0	Door did not open	more
V1130 — Left Front Door Jammed Closed	0	No	more

V1131 — Left Rear Door Jammed Closed	0	No	more
V1132 — Rear Door Type	6	Double door	more
V1133 — Rear Door Opening Cause	0	Door did not open	more
V1134 — Rear Door Jammed Closed	0	No	more
V1135 — Luggage Partition Damagd	8	Not applicable	more
V1136 — Spare Tire Status	8	Not collected	more
V1137 — Trailer Hitch Type	3	Bumper and frame (but non-equalizing)	more
V1138 — Trailer Type	0	No trailer	more
V1139 — Right Side Body Mount Separation	0	No	more
V1140 — Upper Right A-pillar Separation	0	No	more
V1141 — Lower Right A-pillar Separation	0	No	more
V1142 — Upper Right B-pillar Separation	0	No	more
V1143 — Lower Right B-pillar Separation	0	No	more
V1144 — Upper Right C-pillar Separation	0	No	more
V1145 — Lower Right C-pillar Separation	0	No	more
V1146 — Upper Right D-pillar Separation	0	No	more
V1147 — Lower Right D-pillar Separation	0	No	more
V1148 — Right Front Door Opening Cause	00	Door did not open	more
V1149 — Right Rear Door Opening Cause	00	Door did not open	more
V1150 — Right Front Door Jammed Closed	0	No	more
V1151 — Right Rear Door Jammed Closed	0	No	more
V1152 — Van Rear Door Type	8	Not applicable (not a van)	more
V1153 — Windshield Cracked		Yes	more
V1154 — Windshield Broken	0	No	more
V1155 — Windshield Cracked or Broken by Occupant	0	No	more
V1156 — Bond Separation Extent	0	None	more
V1157 — Windshield Code		—	—
V1158 — Did Sun/T Roof Open	8	Not Applicable	more

Case Vehicle
Steering
Column/Rim

Variable Number and Name	Code Value	Code Description	Other Options
V1201 — Steering Wheel Rim Damage	0	None	more
V1202 — Number of Steering Wheel Spokes	4	4 spokes	more
V1203 — Steering Wheel Spoke Damage	0	None	more
V1204 — Column Tilt Feature	3	Middle	more
V1205 — Column Swing-away Feature	0	Not equipped	more
V1206 — Column Telescoping Feature	0	Not equipped	more
V1207 — Wheel Energy Absorb Device	8	Not collected	more
V1208 — Wheel Ea Orig/Damaged Diff	888	Not collected	more
V1209 — Column Energy Absorb Device	88	Not collected	more
V1210 — Column Ea Orig/Comprss Diff	888	Not collected	more
V1211 — Shear Capsule Separation	888	Not collected	more
V1212 — Column Vertical Rotation	0	No apparent rotation	more
V1213 — Column Lateral Rotation	0	No apparent rotation	more
V1214 — Steering Wheel Hub Damage	0	None	more

Case Vehicle Intrusion

Variable Number and Name	Code Value	Code Description	Other Options
V1301 — Occupant Compartment Intrusion	0	No	more
V1302 — Was Intrusion Catastrophic	8	Not applicable	more
V1303 — Intrusion Number 01	00	No Intrusion, None	more
V1304 — Intrusion 01 Occupant Space Number	00	No Intrusion, None	more
V1305 — Intrusion 01 Intruding Object	00	No Intrusion, None	more
V1306 — Intrusion 01 Assoc Event Number	0	No Intrusion, None	more
V1307 — Intrusion 01 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1308 — Intrusion 01 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1309 — Intrusion 01 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1310 — Intrusion 01 Occupant Number	00	No contact or no intrusion	more
V1311 — Intrusion 01 Injury Number	00	No injury or no intrusion	more
V1312 — Intrusion 01 Occupant Number	00	No contact or no intrusion	more
V1313 — Intrusion 01 Injury Number	99	Contact, injury unknown or data not collected	more
V1314 — Intrusion Number 02	00	No Intrusion, None	more
V1315 — Intrusion 02 Occupant Space Number	00	No Intrusion, None	more
V1316 — Intrusion 02 Intruding Object	00	No Intrusion, None	more
V1317 — Intrusion 02 Assoc Event Number	0	No Intrusion, None	more
V1318 — Intrusion 02 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1319 — Intrusion 02 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1320 — Intrusion 02 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1321 — Intrusion 02 Occupant Number	00	No contact or no intrusion	more
V1322 — Intrusion 02 Injury Number	00	No injury or no intrusion	more
V1323 — Intrusion 02 Occupant Number	00	No contact or no intrusion	more
V1324 — Intrusion 02 Injury Number	99	Contact, injury unknown or data not collected	more
V1325 — Intrusion Number 03	00	No Intrusion, None	more
V1326 — Intrusion 03 Occupant Space Number	00	No Intrusion, None	more
V1327 — Intrusion 03 Intruding Object	00	No Intrusion, None	more
V1328 — Intrusion 03 Assoc Event Number	0	No Intrusion, None	more
V1329 — Intrusion 03 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more

V1330 — Intrusion 03 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1331 — Intrusion 03 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1332 — Intrusion 03 Occupant Number	00	No contact or no intrusion	more
V1333 — Intrusion 03 Injury Number	00	No injury or no intrusion	more
V1334 — Intrusion 03 Occupant Number	00	No contact or no intrusion	more
V1335 — Intrusion 03 Injury Number	99	Contact, injury unknown or data not collected	more
V1336 — Intrusion Number 04	00	No Intrusion, None	more
V1337 — Intrusion 04 Occupant Space Number	00	No Intrusion, None	more
V1338 — Intrusion 04 Intruding Object	00	No Intrusion, None	more
V1339 — Intrusion 04 Assoc Event Number	0	No Intrusion, None	more
V1340 — Intrusion 04 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1341 — Intrusion 04 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1342 — Intrusion 04 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1343 — Intrusion 04 Occupant Number	00	No contact or no intrusion	more
V1344 — Intrusion 04 Injury Number	00	No injury or no intrusion	more
V1345 — Intrusion 04 Occupant Number	00	No contact or no intrusion	more
V1346 — Intrusion 04 Injury Number	99	Contact, injury unknown or data not collected	more
V1347 — Intrusion Number 05	00	No Intrusion, None	more
V1348 — Intrusion 05 Occupant Space Number	00	No Intrusion, None	more
V1349 — Intrusion 05 Intruding Object	00	No Intrusion, None	more
V1350 — Intrusion 05 Assoc Event Number	0	No Intrusion, None	more
V1351 — Intrusion 05 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1352 — Intrusion 05 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1353 — Intrusion 05 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1354 — Intrusion 05 Occupant Number	00	No contact or no intrusion	more
V1355 — Intrusion 05 Injury Number	00	No injury or no intrusion	more
V1356 — Intrusion 05 Occupant Number	00	No contact or no intrusion	more
V1357 — Intrusion 05 Injury Number	99	Contact, injury unknown or data not collected	more
V1358 — Intrusion Number 06	00	No Intrusion, None	more
V1359 — Intrusion 06 Occupant Space Number	00	No Intrusion, None	more
V1360 — Intrusion 06 Intruding Object	00	No Intrusion, None	more
V1361 — Intrusion 06 Assoc Event Number	0	No Intrusion, None	more
V1362 — Intrusion 06 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more

V1363 — Intrusion 06 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1364 — Intrusion 06 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1365 — Intrusion 06 Occupant Number	00	No contact or no intrusion	more
V1366 — Intrusion 06 Injury Number	00	No injury or no intrusion	more
V1367 — Intrusion 06 Occupant Number	00	No contact or no intrusion	more
V1368 — Intrusion 06 Injury Number	99	Contact, injury unknown or data not collected	more
V1369 — Intrusion Number 07	00	No Intrusion, None	more
V1370 — Intrusion 07 Occupant Space Number	00	No Intrusion, None	more
V1371 — Intrusion 07 Intruding Object	00	No Intrusion, None	more
V1372 — Intrusion 07 Assoc Event Number	0	No Intrusion, None	more
V1373 — Intrusion 07 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1374 — Intrusion 07 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1375 — Intrusion 07 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1376 — Intrusion 07 Occupant Number	00	No contact or no intrusion	more
V1377 — Intrusion 07 Injury Number	00	No injury or no intrusion	more
V1378 — Intrusion 07 Occupant Number	00	No contact or no intrusion	more
V1379 — Intrusion 07 Injury Number	99	Contact, injury unknown or data not collected	more
V1380 — Intrusion Number 08	00	No Intrusion, None	more
V1381 — Intrusion 08 Occupant Space Number	00	No Intrusion, None	more
V1382 — Intrusion 08 Intruding Object	00	No Intrusion, None	more
V1383 — Intrusion 08 Assoc Event Number	0	No Intrusion, None	more
V1384 — Intrusion 08 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1385 — Intrusion 08 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1386 — Intrusion 08 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1387 — Intrusion 08 Occupant Number	00	No contact or no intrusion	more
V1388 — Intrusion 08 Injury Number	00	No injury or no intrusion	more
V1389 — Intrusion 08 Occupant Number	00	No contact or no intrusion	more
V1390 — Intrusion 08 Injury Number	99	Contact, injury unknown or data not collected	more
V1391 — Intrusion Number 09	00	No Intrusion, None	more
V1392 — Intrusion 09 Occupant Space Number	00	No Intrusion, None	more
V1393 — Intrusion 09 Intruding Object	00	No Intrusion, None	more
V1394 — Intrusion 09 Assoc Event Number	0	No Intrusion, None	more
V1395 — Intrusion 09 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more

V1396 — Intrusion 09 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1397 — Intrusion 09 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1398 — Intrusion 09 Occupant Number	00	No contact or no intrusion	more
V1399 — Intrusion 09 Injury Number	00	No injury or no intrusion	more
V1400 — Intrusion 09 Occupant Number	00	No contact or no intrusion	more
V1401 — Intrusion 09 Injury Number	99	Contact, injury unknown or data not collected	more
V1402 — Intrusion Number 10	00	No Intrusion, None	more
V1403 — Intrusion 10 Occupant Space Number	00	No Intrusion, None	more
V1404 — Intrusion 10 Intruding Object	00	No Intrusion, None	more
V1405 — Intrusion 10 Assoc Event Number	0	No Intrusion, None	more
V1406 — Intrusion 10 Max Intrusion X-axis	00 cm	0 cm or No Intrusion	more
V1407 — Intrusion 10 Max Intrusion Y-axis	00 cm	0 cm or No Intrusion	more
V1408 — Intrusion 10 Max Intrusion Z-axis	00 cm	0 cm or No Intrusion	more
V1409 — Intrusion 10 Occupant Number	00	No contact or no intrusion	more
V1410 — Intrusion 10 Injury Number	00	No injury or no intrusion	more
V1411 — Intrusion 10 Occupant Number	00	No contact or no intrusion	more
V1412 — Intrusion 10 Injury Number	99	Contact, injury unknown or data not collected	more
V1413 — Door Intrusion Number 01	88	Not Applicable	more
V1414 — Door Intrusion Number 01 Cause	8	Not applicable	more
V1415 — Door Intrusion Number 02	88	Not Applicable	more
V1416 — Door Intrusion Number 02 Cause	8	Not applicable	more
V1417 — Door Intrusion Number 03	88	Not Applicable	more
V1418 — Door Intrusion Number 03 Cause	8	Not applicable	more
V1419 — Door Intrusion 01 Component	88	Not Applicable	more
V1420 — Door Intrusion 01 Component Damaged 1	8	Not Applicable	more
V1421 — Door Intrusion 01 Component Damaged 2	8	Not Applicable	more
V1422 — Door Intrusion 02 Component	88	Not Applicable	more
V1423 — Door Intrusion 02 Component Damaged 1	8	Not Applicable	more
V1424 — Door Intrusion 02 Component Damaged 2	8	Not Applicable	more
V1425 — Door Intrusion 03 Component	88	Not Applicable	more
V1426 — Door Intrusion 03 Component Damaged 1	8	Not Applicable	more
V1427 — Door Intrusion 03 Component Damaged 2	8	Not Applicable	more
V1428 — Door Intrusion 04 Component	88	Not Applicable	more

V1429 — Door Intrusion 04 Component Damaged 1	8	Not Applicable	more
V1430 — Door Intrusion 04 Component Damaged 2	8	Not Applicable	more

**Case Vehicle
Airbag(s)**

Variable Number and Name	Code Value	Code Description	Other Options
V1501 — Driver Airbag Equipped	1	Yes	more
V1502 — Driver Airbag Deployed	1	Yes	more
V1503 — Driver Airbag Condition	0	No Damage	more
V1504 — Passenger Airbag Equip	1	Yes	more
V1505 — Passenger Airbag Deployed	1	Yes	more
V1506 — Passenger Airbag Condition	0	No Damage	more
V1507 — Steering Wheel Airbag Tether	1	Yes	more
V1508 — Driver Airbag Marked By Contact	0	No	more
V1509 — Passenger Airbag Tether	1	Yes	more
V1510 — Passenger Airbag Marked By Contact	0	No	more

**Case Vehicle
Interior**

Variable Number and Name	Code Value	Code Description	Other Options
V1601 — Left Front Door Damaged	0	No	more
V1602 — Right Front Door Damaged	0	No	more
V1603 — Left Front Hardware Damaged	0	No	more
V1604 — Right Front Hardware Damaged	0	No	more
V1605 — Left Front Armrest Damaged	0	No	more
V1606 — Right Front Armrest Damaged	0	No	more
V1607 — Left Front Glass Damaged	0	No	more
V1608 — Right Front Glass Damaged	0	No	more
V1609 — Left Rear Door Area Damaged	0	No	more
V1610 — Right Rear Door Area Damaged	0	No	more
V1611 — Left Rear Hardware Damaged	0	No	more
V1612 — Right Rear Hardware Damaged	0	No	more
V1613 — Left Rear Armrest Damaged	0	No	more
V1614 — Right Rear Armrest Damaged	0	No	more
V1615 — Left Rear Glass Damaged	0	No	more
V1616 — Right Rear Glass Damaged	0	No	more
V1617 — Left Roof Side Rail Damaged	0	No	more
V1618 — Right Roof Side Rail Damaged	0	No	more
V1619 — Left B-pillar Damaged	0	No	more
V1620 — Right B-pillar Damaged	0	No	more
V1621 — Left C-pillar Damaged	0	No	more
V1622 — Right C-pillar Damaged	0	No	more
V1623 — Left D-pillar Damaged	0	No	more
V1624 — Right D-pillar Damaged	0	No	more
V1625 — Left Headlining Damaged	0	No	more
V1626 — Right Headlining Damaged	4	Yes, occupant contact	more
V1627 — Left Roof Structure Damaged	0	No	more
V1628 — Right Roof Structure Damaged	0	No	more
V1629 — Left T/Sun Roof Damaged	8	Not applicable	more



V1630 — Right T/Sun Roof Damaged	8	Not applicable	more
V1631 — Other Left Side Item Damaged	8	Not applicable	more
V1632 — Other Right Side Item Damaged	8	Not applicable	more
V1633 — Foot Controls Damaged	0	No	more
V1634 — Ignition Key Damaged	0	No	more
V1635 — Rear View Mirror Damaged	0	No	more
V1636 — Sunvisor/Fitting Damaged	0	No	more
V1637 — Windshield Molding Damaged	0	No	more
V1638 — Left A-pillar Damaged	0	No	more
V1639 — Right A-pillar Damaged	0	No	more
V1640 — Center Console Damaged	0	No	more
V1641 — Transmission Lever Damaged	0	No	more
V1642 — Horn/Spoke Shroud Damaged	0	No	more
V1643 — Upper Panel Damaged	0	No	more
V1644 — Mid Panel Damaged	0	No	more
V1645 — Lower Panel Damaged	0	No	more
V1646 — Ashtray Damaged	0	No	more
V1647 — Control Knob/Lever Damaged	0	No	more
V1648 — Glove Compartment Area Damaged	3	No, occupant contact	more
V1649 — Instruments Damaged	0	No	more
V1650 — Park Brake Release Damaged	0	No	more
V1651 — Park Brake Pedal Damaged	0	No	more
V1652 — A/C Or Upper Vent Damaged	0	No	more
V1653 — Heater Or A/C Duct Damaged	0	No	more
V1654 — Radio Damaged	0	No	more
V1655 — Other Item Damaged	4	Yes, occupant contact	more
V1656 — Rear Window Damaged	0	No	more
V1657 — Rear Window Header Damaged	0	No	more
V1658 — Vertical Console Damaged	8	Not applicable	more
V1659 — Roof Console Damaged	0	No	more

Case Vehicle Seats



Variable Number and Name	Code Value	Code Description	Other Options
V1701 — Driver Front Seat Type	05	Bucket	more
V1702 — Passenger Front Seat Type	05	Bucket	more
V1703 — Driver Seat Mount Type	1	Standard	more
V1704 — Passenger Seat Mount Type	1	Standard	more
V1705 — Driver Swivel Mechanism Equipped	0	No	more
V1706 — Passenger Swivel Mechanism Equipped	0	No	more
V1707 — Driver Seat Original Equipment	1	Yes	more
V1708 — Passenger Seat Original Equipment	1	Yes	more
V1709 — Driver Seat/Rear Occupant Contact	1	Yes	more
V1710 — Passenger Seat/Rear Occupant Contact	0	No	more
V1711 — Driver Seat Damage	1	Backrest only damaged	more
V1712 — Passenger Seat Damage	0	None	more
V1713 — Center Front Armrest Damaged	0	No	more
V1714 — Driver Seat Rotation	1	Forward apparent	more
V1715 — Passenger Seat Rotation	0	None apparent	more
V1716 — Driver Seat-back Type	3	Reclining	more
V1717 — Passenger Seat-back Type	3	Reclining	more
V1718 — Driver Seat-back Lock Type	1	Manual	more
V1719 — Passenger Seat-back Lock Type	1	Manual	more
V1720 — Driver Seat-back Lock Held	1	Yes	more
V1721 — Passenger Seat-back Lock Held	1	Yes	more
V1722 — Driver Recliner Mechanism Held	1	Yes	more
V1723 — Passenger Recliner Mechanism Held	1	Yes	more
V1724 — Driver Head Restraint Type	1	Adjustable	more
V1725 — Passenger Head Restraint Type	1	Adjustable	more
V1726 — Driver Head Rest Removed	0	No	more
V1727 — Passenger Head Rest Removed	0	No	more
V1728 — Driver Head Rest Adjustment	2	Down	more
V1729 — Passenger Head Rest Adjustment	2	Down	more
V1730 — Driver Head Rest Damage	0	None	more

V1731 — Passenger Head Rest Damage	0	None	more
V1732 — Driver Seat Adjustment Type	1	Manual	more
V1733 — Passenger Seat Adjustment Type	1	Manual	more
V1734 — Driver Seat Adjustment Provided	1	2-way	more
V1735 — Passenger Seat Adjustment Provided	1	2-way	more
V1736 — Driver Seat Adjuster Damage	0	None	more
V1737 — Passenger Seat Adjuster Damage	0	None	more
V1738 — Driver Seat Adjuster Separation	8	Not applicable	more
V1739 — Passenger Seat Adjuster Separation	8	Not applicable	more
V1740 — Driver Seat Pre-crash Position	2	Middle	more
V1741 — Passenger Seat Pre-crash Position	2	Middle	more
V1742 — Left Rear Seat Type	2	Folding	more
V1743 — Right Rear Seat Type	2	Folding	more
V1744 — Left Rear Seat Damaged	0	None	more
V1745 — Right Rear Seat Damaged	0	None	more
V1746 — Center Rear Armrest Damaged	0	No	more
V1747 — Left Rear Seat-back Left Lock Equipped	1	Yes	more
V1748 — Right Rear Seat-back Left Lock Equipped	0	No	more
V1749 — Left Rear Seat-back Left Lock Held	1	Yes	more
V1750 — Right Rear Seat-back Left Lock Held	8	Not applicable	more
V1751 — Left Rear Seat-back Right Lock Equipped	0	No	more
V1752 — Right Rear Seat-back Right Lock Equipped	1	Yes	more
V1753 — Left Rear Seat-back Right Lock Held	8	Not applicable	more
V1754 — Right Rear Seat-back Right Lock Held	1	Yes	more
V1755 — Left 3rd Seat Equipped	0	No	more
V1756 — Right 3rd Seat Equipped	0	No	more
V1757 — Left 3rd Seat Backrest Damaged	8	Not applicable	more
V1758 — Right 3rd Seat Backrest Damaged	8	Not applicable	more
V1759 — Left 3rd Seat Cushion Damaged	8	Not applicable	more
V1760 — Right 3rd Seat Cushion Damaged	8	Not applicable	more
V1761 — Rear Head Restraints	1	Equipped	more

MEASUREMENTS IN CENTIMETERS




Left-front wheel partially torn off, rim damaged and tire flat




Max. crush to left side at the center of the driver door

MEASUREMENTS IN CENTIMETERS



WINDSHIELD MARK ON CASE VEHICLE:

SHADED
SOLAR-RAY
SAFETY-FLO-LITE
AS1 GUARDIAN 00
LAMINATED
DOT-22 GG-M55
4 L Z
L 4 L



Windshield cracked due to impact forces



1 = Definitely 2 = Probably 3 = Possible

INTRUSION IT-1


Location of Intrusion	Intruded Component	(All Measurements Are in Centimeters)			Dominant Crush Direction
		Comparison Value	– Intruded Value	= Intrusion	
	None		–	=	
			–	=	
			–	=	
			–	=	
			–	=	
			–	=	
			–	=	
			–	=	
			–	=	
			–	=	
			–	=	
			–	=	
			–	=	
			–	=	

OCCUPANT CONTACT WORKSHEET


Contact	Interior Component Contacted	Occupant No. if Known	Body Region if Known	Supporting Physical Evidence	Confidence Level of Contact Point
A	Cup holder			Cover displaced, dried substance	3
B	Glove box-left side	Rf	Lt. LX	Scuffed	1
C	Glove box-right side	Rf	Rt. LX	Scuffed	1
D	Headliner	Lr	Head	Scuffed	2
E	Headliner	Lr	Head	Scuffed	2
F	Seatback	Lr	Head	Deflected forward	1
G					
H					
I					




A = Cup holder, cover displaced, dried substance
B = Glove box, scuffed
C = Glove box, scuffed
D = Headliner, scuffed
E = Headliner, scuffed
F = Driver seatback, deflected forward



Driver Airbag



Driver Airbag Doors




I-Pattern

Vents: ☒ Y N
if yes, how many: 2

Tethers: ☒ Y N
if yes, how many: 2


Vents at 11 and 1 o'clock

Passenger Airbag



Passenger Airbag Doors

Single Door



Vents: ☒ Y N
if yes, how many: 2
vents at 3 and 9 o'clock

Tethers: ☒ Y N
if yes, how many: 2

Case # 385: Occupant # 1; Injury # 1

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	01	Injury #1	more
V2102 — 1st Prob Contact Area	98	Impact force, "whiplash", hyperextension/compression	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	14	Neck	more
V2105 — Primary OIC -aspect	16	Posterior/back	more
V2106 — Primary OIC -lesion	20	Strain	more
V2107 — Primary OIC -system/Organ	13	Muscles	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	NPTM1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 1

Variable Number and Name	Code Value	Code Description	Other Options
V2001 — Occupant Number	01	Occupant #1	more
V2002 — Occupant Role At 1st Impact	1	Motor vehicle driver	more
V2003 — Occupant Position -row	1	1st row	more
V2004 — Occupant Position -lateral	1	Left	more
V2005 — Occupant Position -posture	10	Sitting on seat	more
V2006 — Occupant Age In Years	69	—	—
V2007 — Occupant Age In Months	25	25 months or older	more
V2008 — Occupant Mass	095 kg	—	—
V2009 — Occupant Height	191 cm	—	—
V2010 — Occupant Sex	1	Male	more
V2011 — Occupant Treatment/Mortality	02	Treated at hospital/clinic but not admitted	more
V2012 — Injury Severity Score	01	ISS 1	more
V2013 — Non-impact Med Condition	0	None	more
V2014 — Police Injury Severity	1	C - Possible injury	more
V2015 — Active Restraint System	3	Both lap belt and shoulder harness	more
V2016 — Active Restraint Usage	3	Both lap belt and shoulder harness	more
V2017 — Passive Restraint System	1	Air bag installed	more
V2018 — Passive Restraint Usage	2	Air bag deployed	more
V2019 — Child Seat Type	88	Not applicable (adult or older child)	more
V2020 — Occupant Ejection Degree	0	None	more
V2021 — Occupant Ejection Area	98	Not applicable (not ejected)	more
V2022 — Highest OIC Severity	1	Minor	more
V2023 — Head Restraint Available	1	Equipped	more
V2024 — Occupant Eyewear	0	None	more
V2025 — Source of Occupant Info	7	Combination of above	more

Case # 385: Occupant # 2; Injury # 1

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	01	Injury #1	more
V2102 — 1st Prob Contact Area	98	Impact force, "whiplash", hyperextension/compression	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	14	Neck	more
V2105 — Primary OIC -aspect	16	Posterior/back	more
V2106 — Primary OIC -lesion	20	Strain	more
V2107 — Primary OIC -system/Organ	13	Muscles	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	NPTM1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 2; Injury # 2

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	02	Injury #2	more
V2102 — 1st Prob Contact Area	34	Restraint system webbing	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	13	Abdomen	more
V2105 — Primary OIC -aspect	03	Central	more
V2106 — Primary OIC -lesion	03	Contusion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	MCCI1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 2; Injury # 3

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	03	Injury #3	more
V2102 — 1st Prob Contact Area	02	Glove compartment area	more
V2103 — 2nd Prob Contact Area	48	Knee restraint	more
V2104 — Primary OIC -body Region	11	Knee	more
V2105 — Primary OIC -aspect	18	Right	more
V2106 — Primary OIC -lesion	03	Contusion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	KRCI1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 2; Injury # 4

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	04	Injury #4	more
V2102 — 1st Prob Contact Area	02	Glove compartment area	more
V2103 — 2nd Prob Contact Area	48	Knee restraint	more
V2104 — Primary OIC -body Region	11	Knee	more
V2105 — Primary OIC -aspect	12	Left	more
V2106 — Primary OIC -lesion	03	Contusion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	KLCI1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 2; Injury # 5

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	05	Injury #5	more
V2102 — 1st Prob Contact Area	40	Floor	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	17	Ankle/foot	more
V2105 — Primary OIC -aspect	18	Right	more
V2106 — Primary OIC -lesion	19	Sprain	more
V2107 — Primary OIC -system/Organ	10	Joints	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	QRSJ1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 2; Injury # 6

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	06	Injury #6	more
V2102 — 1st Prob Contact Area	40	Floor	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	17	Ankle/foot	more
V2105 — Primary OIC -aspect	18	Right	more
V2106 — Primary OIC -lesion	03	Contusion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	QRCI1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 2

Variable Number and Name	Code Value	Code Description	Other Options
V2001 — Occupant Number	02	Occupant #2	more
V2002 — Occupant Role At 1st Impact	2	Motor vehicle passenger	more
V2003 — Occupant Position -row	1	1st row	more
V2004 — Occupant Position -lateral	5	Right	more
V2005 — Occupant Position -posture	10	Sitting on seat	more
V2006 — Occupant Age In Years	67	—	—
V2007 — Occupant Age In Months	25	25 months or older	more
V2008 — Occupant Mass	073 kg	—	—
V2009 — Occupant Height	178 cm	—	—
V2010 — Occupant Sex	2	Female	more
V2011 — Occupant Treatment/Mortality	02	Treated at hospital/clinic but not admitted	more
V2012 — Injury Severity Score	03	ISS 3	more
V2013 — Non-impact Med Condition	0	None	more
V2014 — Police Injury Severity	1	C - Possible injury	more
V2015 — Active Restraint System	3	Both lap belt and shoulder harness	more
V2016 — Active Restraint Usage	3	Both lap belt and shoulder harness	more
V2017 — Passive Restraint System	1	Air bag installed	more
V2018 — Passive Restraint Usage	2	Air bag deployed	more
V2019 — Child Seat Type	88	Not applicable (adult or older child)	more
V2020 — Occupant Ejection Degree	0	None	more
V2021 — Occupant Ejection Area	98	Not applicable (not ejected)	more
V2022 — Highest OIC Severity	1	Minor	more
V2023 — Head Restraint Available	1	Equipped	more
V2024 — Occupant Eyewear	1	Glasses	more
V2025 — Source of Occupant Info	7	Combination of above	more

Case # 385: Occupant # 3; Injury # 1

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	01	Injury #1	more
V2102 — 1st Prob Contact Area	29	Front seat-back(s)	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	06	Face	more
V2105 — Primary OIC -aspect	09	Inferior/lower	more
V2106 — Primary OIC -lesion	04	Dislocation	more
V2107 — Primary OIC - system/Organ	19	Skeletal	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	FIDS1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 - system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 3; Injury # 2

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	02	Injury #2	more
V2102 — 1st Prob Contact Area	29	Front seat-back(s)	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	06	Face	more
V2105 — Primary OIC -aspect	09	Inferior/lower	more
V2106 — Primary OIC -lesion	12	Laceration	more
V2107 — Primary OIC - system/Organ	04	Digestive	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	FILD1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 - system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 3; Injury # 3

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	03	Injury #3	more
V2102 — 1st Prob Contact Area	29	Front seat-back(s)	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	06	Face	more
V2105 — Primary OIC -aspect	09	Inferior/lower	more
V2106 — Primary OIC -lesion	01	Abrasion	more
V2107 — Primary OIC -system/Organ	09	Integumentary	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	FIAI1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 3; Injury # 4

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	04	Injury #4	more
V2102 — 1st Prob Contact Area	29	Front seat-back(s)	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	14	Neck	more
V2105 — Primary OIC -aspect	16	Posterior/back	more
V2106 — Primary OIC -lesion	20	Strain	more
V2107 — Primary OIC -system/Organ	13	Muscles	more
V2108 — Primary OIC -severity	1	Minor	more
V2109 — Primary OIC	NPTM1	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	9	Unknown	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 3

Variable Number and Name	Code Value	Code Description	Other Options
V2001 — Occupant Number	03	Occupant #3	more
V2002 — Occupant Role At 1st Impact	2	Motor vehicle passenger	more
V2003 — Occupant Position -row	2	2nd row	more
V2004 — Occupant Position -lateral	1	Left	more
V2005 — Occupant Position -posture	10	Sitting on seat	more
V2006 — Occupant Age In Years	64	—	—
V2007 — Occupant Age In Months	25	25 months or older	more
V2008 — Occupant Mass	059 kg	—	—
V2009 — Occupant Height	152 cm	—	—
V2010 — Occupant Sex	2	Female	more
V2011 — Occupant Treatment/Mortality	02	Treated at hospital/clinic but not admitted	more
V2012 — Injury Severity Score	03	ISS 3	more
V2013 — Non-impact Med Condition	0	None	more
V2014 — Police Injury Severity	1	C - Possible injury	more
V2015 — Active Restraint System	3	Both lap belt and shoulder harness	more
V2016 — Active Restraint Usage	0	None (available but not used)	more
V2017 — Passive Restraint System	0	None	more
V2018 — Passive Restraint Usage	8	Not applicable (not originally equipped)	more
V2019 — Child Seat Type	88	Not applicable (adult or older child)	more
V2020 — Occupant Ejection Degree	0	None	more
V2021 — Occupant Ejection Area	98	Not applicable (not ejected)	more
V2022 — Highest OIC Severity	1	Minor	more
V2023 — Head Restraint Available	1	Equipped	more
V2024 — Occupant Eyewear	0	None	more
V2025 — Source of Occupant Info	7	Combination of above	more

Case # 385: Occupant # 4; Injury # 0

Variable Number and Name	Code Value	Code Description	Other Options
V2101 — Injury Number	00	Dummy Injury Record For Uninjured Occupants	more
V2102 — 1st Prob Contact Area	00	No Contact/not applicable	more
V2103 — 2nd Prob Contact Area	00	No Contact/not applicable	more
V2104 — Primary OIC -body Region	99	No injury	more
V2105 — Primary OIC -aspect	99	No injury	more
V2106 — Primary OIC -lesion	99	No injury	more
V2107 — Primary OIC -system/Organ	99	No injury	more
V2108 — Primary OIC -severity	0	None	more
V2109 — Primary OIC	—	—	—
V2110 — Assoc OIC 1 -body Region	99	No injury	more
V2111 — Assoc OIC 1 -aspect	99	No injury	more
V2112 — Assoc OIC 1 -lesion	99	No injury	more
V2113 — Assoc OIC 1 -system/Organ	99	No injury	more
V2114 — Assoc OIC 1 -severity	0	None	more
V2115 — Assoc OIC 1	—	—	—

Case # 385: Occupant # 4


Variable Number and Name	Code Value	Code Description	Other Options
V2001 — Occupant Number	04	Occupant #4	more
V2002 — Occupant Role At 1st Impact	2	Motor vehicle passenger	more
V2003 — Occupant Position -row	2	2nd row	more
V2004 — Occupant Position -lateral	5	Right	more
V2005 — Occupant Position -posture	10	Sitting on seat	more
V2006 — Occupant Age In Years	15	—	—
V2007 — Occupant Age In Months	25	25 months or older	more
V2008 — Occupant Mass	050 kg	—	—
V2009 — Occupant Height	152 cm	—	—
V2010 — Occupant Sex	1	Male	more
V2011 — Occupant Treatment/Mortality	00	None	more
V2012 — Injury Severity Score	00	Not Injured	more
V2013 — Non-impact Med Condition	0	None	more
V2014 — Police Injury Severity	0	O - No injury	more
V2015 — Active Restraint System	3	Both lap belt and shoulder harness	more
V2016 — Active Restraint Usage	3	Both lap belt and shoulder harness	more
V2017 — Passive Restraint System	0	None	more
V2018 — Passive Restraint Usage	8	Not applicable (not originally equipped)	more
V2019 — Child Seat Type	88	Not applicable (adult or older child)	more
V2020 — Occupant Ejection Degree	0	None	more
V2021 — Occupant Ejection Area	98	Not applicable (not ejected)	more
V2022 — Highest OIC Severity	0	None	more
V2023 — Head Restraint Available	1	Equipped	more
V2024 — Occupant Eyewear	0	None	more
V2025 — Source of Occupant Info	7	Combination of above	more

ALLIED E28171



































DO NOT RESTRAINT
ONLY ALL THE WAY
DO NOT LOCK THE SEAT
Belt Buckle Must Be
Correctly Seated
Correctly Seated





























































135410

1054163













3557
MSR21

3557

135416



135416





135410

1374

1-1096


1374

135410











135410
1A82
42
K









All 167575
XYN-P
240411







44
AN
164575
XKN-P
290471









132410

1/10/10

132410

485

1/10/10

1/10/10



167575
PT 6-9 A115



16/5/15
AHS AT
6-7

























